











VXDIAG VCX SE User Manual

1. Device description

• VCX SE is the standardized VCI vehicle diagnostic interface based on the international sae-j2534 and iso-22900 PDU design standard, compatible with most protocols vehicle communication, compact structure, is a very high product performance in in relation to the price we will pay for the diagnostic interface. VCX SE is widely used in online diagnostics and ECU programming by vehicle manufacturers. It also supports genuine and external multi-brand diagnostic software. We can choose: Mercedes Benz, BMW, Porsche, Honda, Pathfinder, Subaru, VW, Ford / Mazda, GM, Toyota, Land Rover / Jaguar, Volvo.

2. Technical data

	Protocol processor	32bit 180MHz ARM 1MB FLASH
	Diagnostic interface	SAE-J1962 standard, OBD-II diagnostic interface
	Wired interface (PC)	USB Micro-B interface
	Wireless interface (PC)	WLAN 802.11 b/g/n wireless network (Optional)
	Indicator lights	2 LEDs, Red: device status, Blue: communication status.
	Power supply	Vehicle power supply: DC 9v-36v (compatible with 12V and 24V)
	Power	1W
	Size	L x W x H = 140 x 50 x 25 (mm)
	Weight	Equipment weight: 0.3KG, Product + package weight: 0.8kg
	Shell	Reinforced plastic shell

VXDIAGSHOP

3. User manual for the device.


• After purchasing and receiving the original box, please take the device out of the box and plug it in using a usb to a computer.

- After connection, launch the website in the browser and download the current VX Manager.

<http://www.allscanner.com/download.html?lang=en>




After installing the vx manager program, update the license and firmware .



After installing the factory diagnostic software, you should update it from time to time

Keep Firmware and Licenses as up-to-date as possible.

- In the "Licenses" tab we have the option to check our licenses



VXDIAG VCX SE Series

VXDIAG VCX SE Main Unit	Without license, customize license
VXDIAG VCX SE Pro 3-in-1	3 brand license among GM FORD/MAZDA VW AUDI HONDA VOLVO TOYOTA JLR Subaru (full license pack for VCX SE Pro)
VXDIAG VCX SE Benz	With Benz license in default, able to add other brand license (Full license pack for VCX SE Benz)
VXDIAG VCX SE BMW (SP341)	With BMW license, Device with S/N S94BM*** CANNOT Add license for other car brands.
VXDIAG VCX SE BMW (SP341-B)	With BMW license, S/N V94SE*** Support Add License for Other Brands (Full license pack for VCX SE BMW)
VXDIAG VCX SE 6154	With VW Audi License, Support Add License for Other Brands (Full license pack for VCX SE VW Audi)
VXDIAG VCX SE JLR	With JLR and Pathfinder license, Support Add license for other brands (Full license pack for VCX SE JLR)
VXDIAG VCX SE Honda	With Honda License, Support Add License for Other Brands
VXDIAG VCX SE Subaru	With Subaru and option 2 brand license among GM FORD/MAZDA VW AUDI

	HONDA VOLVO TOYOTA JLR (Full license pack for VCX SE Subaru)
VXDIAG VCX SE PW3	With Por-sche license, Support Add License for Other Brands
VXDIAG VCX SE BMW & Benz 2 in 1	With Benz, BMW license, Support Add License for Other Brands
VXDIAG VCX SE BMW, Benz, VW 3 in 1	With Benz, BMW and VW License, Support Add License for Other Brands
VXDIAG VCX SE Full Brand	With full brand license, including GM FORD/MAZDA VW AUDI HONDA VOLVO TOYOTA JLR Subaru
VXDIAG VCX SE Full+ PW3+ JLR DoIP	With JLR, HONDA, GM, VW, FORD MAZDA, TOYOTA, Subaru, VOLVO, BMW, BENZ, PW2, PW3, JLR DOIP license